

TECHNICAL SPECIFICATION



HEARING PROTECTION

Sonis®2 Ear Defenders

Dark Grey, Yellow / AEB020-0AY-900



DESCRIPTION

The Sonis® range has been stylishly designed with a traffic light colour code for easy identification. Materials have been chosen for both performance and comfort over extended periods of use, with careful design ensuring a small number of key components for easy maintenance.

Medium attenuation

OPTIONS

- Dark Grey, Yellow (AEB020-0AY-900)**
- Extra Visibility Yellow (AEB020-0B1-C00)
- White / Yellow (AEB020-0A2-D01)

SAFETY STANDARDS

EN 352-1



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.


Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 18 May 2021 / Copyright 2018 - 2021, JSP Limited. All Rights Reserved.



SPECIFICATIONS

 Mounting Headband	 SNR 31 dB
Cup Material ABS	Head Band Material TPE
Adjustable Yes	Hygiene Hygiene Kit
 BSI Kitemark Yes	 JSPCheck Yes
 Recyclable Yes	 Product Weight 259g

FEATURES



Performance

The Sonis® range of ear defenders have been designed by the JSP R&D team. Working with a leading UK acoustic engineering research facility they have developed an ear defender range that peaks at an unbeaten 37 SNR.




Customisation

Sonis® cups can be coloured to meet a corporate identity. They can also be printed with a company logo for improved brand recognition and to discourage theft. MOQ's apply.



Hygienic

The headband is manufactured from TPE, making it easy to wipe clean. The sealing rings are easy to replace. Hygiene kits are available for each model.



Comfort

The over-moulded headband has a built-in comfort area with ventilation. The headband force and the cushion surface area work together to provide optimum cushion pressure and comfort.



Adjustable Steel Arms

To facilitate even distribution of pressure the wearer can tilt and adjust the position of the earcup for optimum comfort and fit.



Extra Visibility option

The Sonis® range is available with extra visibility cups and a reflective headband for added low light protection.

APPLICATIONS

Airports

Food and Drink Manufacturing

Hospitals, Healthcare & Pharmaceuticals

Facilities Management

Forestry & Landscaping

Welding

ACCESSORIES

Sonis®2 Hygiene Kit

PPE Cleaning Station, Replacements & Lens Cleaning Wipes

COMPATIBLE PRODUCTS

EVO® Gas Goggle

EVO® Goggle Single Lens

Hardcap™ A1+ 5cm Short Peak

Hardcap™ A1+ CleanCap™

Hardcap™ A1+ Essential Micro Peak

EVO® Goggle Double Lens

Hardcap™ A1+ 2.5cm Micro Peak

Hardcap™ A1+ 7cm Long Peak

Hardcap™ A1+ Disposable Sweatband

Hardcap™ A1+ Essential Short Peak



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 18 May 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.



Hardcap™ A1+ Winter

Hardcap Aerolite® Micro Peak

Hardcap Aerolite® Short Peak

Thermex™ Double Lens Goggle

Hardcap Aerolite® 60° Micro Peak

Hardcap Aerolite® Micro Peak Cover

Sonis®2 Hygiene Kit

LOGO

Sides

RANGE



VIDEOS

- www.youtube.com/watch?v=kGGYQrlmAGk
- www.youtube.com/watch?v=AycQ2vqifWE

DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [Declaration of Conformity \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 18 May 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.

