



Product Family

Honeywell Vistamax

Polycarbonate goggle available in direct or indirect highflow ventilation that gives up to three times better anti-mist performance than conventional goggles. Marking 9 for molten metals and hot solids.

Honeywell

Product Numbers & Ordering Information

Overview

Key Features

Polycarbonate goggle available in direct or indirect highflow ventilation that gives up to three times better anti-mist performance than conventional goggles. Marking 9 for molten metals and hot solids.

Recommended Industries/Use

- Manufacturing
- Oil and Gas
- Steel and Metals

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Chemical
- Gas, Vapors, Smoke
- Impact
- Low Visibility
- Splash

Regulations

- EC Category PPE, Standards EN 166, European Directives 89/686/EEC, ISO 9001/2000, Optical Class I, Impact Grade B, 9, K and N

Historical Brand

Pulsafe

Warranty Information

LIMITED WARRANTY: Honeywell warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Honeywell Safety Product distributor or the seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell or the Honeywell Safety Product distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Honeywell product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Honeywell Safety Product should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

Specifications

Range

- Goggles

Lens Material

- Polycarbonate

Lens Coating

- Fog Ban

Venting Option

- Direct or Indirect Venting

Weight

- 142 grams

Body Material

- PVC Frame

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

France : info-france.hsp@honeywell.com
 Export : info-export.hsp@honeywell.com

Honeywell Vistamax Goggle

Belgium, Luxembourg, netherlands : info-benelux.hsp@honeywell.com
Germany, Austria, Switzerland : info-germany.hsp@honeywell.com
Italy : info-italia.hsp@honeywell.com
United Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.com
Spain, Portugal : info-spain.hsp@honeywell.com
Sweden, Denmark, Finland, Iceland, Norway : info-nordic.hsp@honeywell.com
Estonia, Latvia, Lithuania : info-nordic.hsp@honeywell.com
Russia : info-russia.hsp@honeywell.com
Hungary : info-hungary.hsp@honeywell.com
Poland : info-poland.hsp@honeywell.com

© Honeywell International Inc.