# **STYLE REF: RF120** STYLE NAME: TESLADRI




SPECIFICATION: EN ISO 20345:2011 S3 ESD SRC + EN 61340-5-1:2007 | SIZE UK 6-13 (WHOLE SIZES) COLOUR: BLACK

EXTREMELY LIGHTWEIGHT AND FLEXIBLE, 100% NON-METALLIC, ESD CERTIFIED TO THE HIGHEST STANDARD, STRICT PRODUCTION LINE TESTED TO ENSURE 100% CONFORMITY



## CLICK A FEATURE OR COMPONENT TO LEARN MORE





**Upper Materials** Sympatex Climate Technology®

Lining Materials Sympatex Climate Technology® Outsole EPR Technology

**Footbed** Ortholite<sup>®</sup> high performance comfort insole Internal Toecap Fibreglass

Internal Midsole Composite

SUBJECT TO CHANGE WITHOUT PRIOR NOTICE: 01/03/2016

### EC DECLARATION OF CONFORMITY



**Head Office & Distribution Centre** 

Rock Fall UK Limited Unit 1 Major House Wimsey Way Alfreton, Derbyshire England. DE55 4LS

E: sales@rockfall.co.uk T: 01773 608616

www.rockfall.co.uk

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD MAJOR HOUSE, UNIT 1 WIMSEY WAY ALFRETON DERBYSHIRE, DE55 4LS UNITED KINGDOM

Declares that the PPE described hereafter;

### ROCK FALL TESLADRI RF120

Is in conformity with the provisions of Council Directive 89/686/EEC and, where such is the case, with the national standard transposing harmonised standard no. EN ISO 20345:2011 (for the PPE referred to in Article 8(2))

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD MAJOR HOUSE, UNIT 1 WIMSEY WAY ALFRETON DERBYSHIRE, DE55 4LS UNITED KINGDOM

Is identical to the PPE which is subject of EC certificate No LECFI00348286 Issued by:-

ITS TESTING SERVICES (UK) LTD CENTRE COURT MERIDIAN BUSINESS PARK LEICESTER LE19 1WD

Is subject to the procedure set out in Article 11 point A or point B of the Directive 89/686/EEC under the supervision of the notified body:

ITS TESTING SERVICES (UK) LTD CENTRE COURT MERIDIAN BUSINESS PARK LEICESTER LE19 1WD

Signature:

on Positio

Position: Director

Date: 01/01/2017



Registered Office: St. Helens House, King Street, Derby, DE1 3EE VAT Reg Number: 706 1420 75 Co.Reg No. 3436704 Registered in England and Wales



# EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd. Centre Court Meridian Business Park Leicester, LE19 1WD United Kingdom Phone: +44 (0)116 263 0330 Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: Rock Fall UK Ltd						
	Wimsey Way, Alfreton Trading Estate , Derbyshire, U.K. DE55 4LS						
Manufacturer		A.					
Date of Issue	: <mark>05</mark> May 2015						
Expiry Date	: 12 November 2019	9					
Certificate No.	: LEC FI00348286 (	Extension of certificate	LECFI00345196)				
Product Reference(s)	: Rock Fall Faradri F Rock Fall Tesladri						
Description	Construction:CementedToecap:PEP# CompositeMidsole:PEP# Composite						
	Last	#PEP=PL					
	Sole Test Report(s)	PS-2132# MD See technical					
	Size Range	UK 3-13					
	Category	: S3 SRA					
7	3	Α					
?. Williansa	~		05/05/2015				
Assessor		X .	Date 05/05/2015				
Certification Manager			Date				
or and on behalf of ITS	<b>Testing Services</b>	(UK) Limited					

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.





### **Test Report**

Tests Conducted (As Requested By The Applicant)

Slip Resistance (EN ISO 20344:2011(5.11) & ISO 13287:2012, SRC, Temperature: 23°C)

Sample	Size	Test Floor	Lubricant	Modes	Results	Requirement	Pass/Fail
-	36	Eurotile 2	NaLS	Forward Heel Slip (# 1)	0.31	Min. 0.28	Pass
	(Right)			Forward Flat Slip (# 2)	0.33	Min. 0.32	Pass
		Steel Floor	Glycerine	Forward Heel Slip (# 1)	0.15	Min. 0.13	Pass
				Forward Flat Slip (# 2)	0.18	Min. 0.18	Pass
	42 Euro (Right)	Eurotile 2	NaLS	Forward Heel Slip (# 1)	0.31	Min. 0.28	Pass
				Forward Flat Slip (# 2)	0.32	Min. 0.32	Pass
		Steel Floor	Glycerine	Forward Heel Slip (# 1)	0.16	Min. 0.13	Pass
				Forward Flat Slip (# 2)	0.19	Min. 0.18	Pass
							· · · · · · · · · · · · · · · · · · ·
	47	Eurotile 2	NaLS	Forward Heel Slip (# 1)	0.31	Min. 0.28	Pass
	(Right)			Forward Flat Slip (# 2)	0.33	Min. 0.32	Pass
		Steel Floor	Glycerine	Forward Heel Slip (# 1)	0.15	Min. 0.13	Pass
				Forward Flat Slip (# 2)	0.19	Min. 0.18	Pass

#### Note:

It Must Be Noted That The Slip Resistance Test Carried Out In This Report Denotes An Indication Of Slip Of This Particular Footwear/Component On The Surface Mentioned In The Test Item. It Is Important To Note That Footwear Is Subject To Many Different Conditions Encountered In Everyday Use And That It Is Impossible To Make Footwear Resistant To Slip In All Conditions. Nevertheless, It Is Generally Accepted That Problems Are Minimized If The Guideline Coefficients Of Friction Are Achieved.

Remark: Using Standard Shoemaking Last #1 = #2 = Using Mechanical Foot

Expanded Uncertainty: 0.01, With k = 2.03 At 95% Confidence Level.

/ joycelin

### Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

China

深圳天祥质量技术服务有限公司广州分公司 Room 02, 1-8/F. & Room 01, E101/E201/E301/E401/E501/E601/E701/E801, No.7-2, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, Guangdong, China 广州经济技术开发区科学城彩频路7号之二第1-8层02房、01房101、 E201, E301, E401, E501, E601, E701, E801 Tel: +86 208213 9001 Fax: +86 20 82089909 Postcode: 510663

3/F., Hengyun Building, 235 Kaifa Ave., Guangzhou Economic & Technological Development District, Guangzhou,

Page 2 Of 3

中国广州经济技开发区开发大道 235 号恒运大厦 3 楼 Tel: +86 20 83966868 Fax: +86 20 82228169 Postcode: 510730

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.