## TECHNICAL SPECIFICATION

# **JSP**<sub>®</sub>

#### **HEARING PROTECTION**

### Sonis® Compact Ear Defenders

Dark Grey / Orange / AEB030-0AY-000



#### DESCRIPTION

The Sonis® range has been stylishly designed with a traffic light colour code for easy identification. Materials have been chosen for both performance and comfort over extended periods of use, with careful design ensuring a small number of key components for easy maintenance.

Sonis®C ear defenders offer medium attenuation

#### OPTIONS

Dark Grey / Orange (AEB030-0AY-000) Extra Visibility Orange (AEB030-0B1-D00) White / Orange (AEB030-0AC-201)

#### SAFETY STANDARDS

EN 352-1



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



#### SPECIFICATIONS



Mounting Headband

> Cup Material ABS

Adjustable Yes



BSI Kitemark Yes

Recyclable Yes

#### FEATURES



#### Performance

The Sonis® range of ear defenders have been designed by the JSP R&D team. Working with a leading UK acoustic engineering research facility they have developed an ear defender range that peaks at an unbeaten 37 SNR.



#### Customisation

Sonis® cups can be coloured to meet a corporate identity. They can also be printed with a company logo for improved brand recognition and to discourage theft. MOQ's apply.



#### Hygienic

The headband is manufactured from TPE, making it easy to wipe clean. The sealing rings are easy to replace. Hygiene kits are available for each model.



SNR

TPE

Hygiene

Hygiene Kit

Product Weight

**JSPCheck** 

Yes

234g

32 dB

Head Band Material

1))

#### Comfort

The over-moulded headband has a built-in comfort area with ventilation. The headband force and the cushion surface area work together to provide optimum cushion pressure and comfort.



#### **Adjustable Steel Arms**

To facilitate even distribution of pressure the wearer can tilt and adjust the position of the earcup for optimum comfort and fit.



#### **Extra Visibility Option**

The Sonis® range is available with extra visibility cups and a reflective headband for added low light protection.

#### APPLICATIONS

Forestry & Landscaping

Welding

ACCESSORIES

Sonis® Compact Hygiene Kit

COMPATIBLE PRODUCTS

PPE Cleaning Station, Replacements & Lens Cleaning Wipes

Hospitals, Healthcare & Pharmaceuticals

COMPATIBLE PRODUCTS	
EVO® Gas Goggle	EVO® Goggle Double Lens
EVO® Goggle Single Lens	Hardcap™ A1+ 2.5cm Micro Peak
Hardcap™ A1+ 5cm Short Peak	Hardcap™ A1+ 7cm Long Peak
Hardcap™ A1+ CleanCap™	Hardcap™ A1+ Essential Micro Peak
Hardcap™ A1+ Essential Short Peak	Hardcap™ A1+ Winter
Hardcap Aerolite® 60° Micro Peak	Hardcap Aerolite® Micro Peak

JSP. SNCE 1964 JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



Hardcap Aerolite® Micro Peak Cover

Sonis® Compact Hygiene Kit

#### LOGO

✓ Sides

Hardcap Aerolite® Short Peak

Thermex<sup>™</sup> Double Lens Goggle

#### RANGE

#### VIDEOS

- www.youtube.com/watch?v=kGGYQrImAGk
- www.youtube.com/watch?v=AycQ2vqifWE

#### DOWNLOADS

- Image Pack (ZIP)
- Declaration of Conformity (PDF)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.