# **Hylite® 47-400**

## TECHNICAL DATASHEET

Multi-purpose Print date 10-10-2015

#### **Glove material**

- Nitrile (Coating material)
- Interlock cotton (Liner material)

## **Possible Harmful ingredients**

#### Sensitizers

No sensitizers

## Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

#### **Properties**

- Ergonomically designed for superior comfort
- Superior flexibility and finger dexterity
- Exceptional cut, puncture and abrasion resistance
- Outstanding dry grip

#### **EN Test Data**

#### Abrasion resistance:

Performance level 2

#### Blade cut resistance:

Performance level 1

## Tear resistance:

Performance level 1

#### Puncture resistance:

Performance level 1

## **European conformity**

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 388:2003

They are categorised in "Intermediate Design" (= Protection against intermediate risks).

EC-Type Examination Certificate for the final product by Centexbel

Technologiepark 7 B-9052 Zwijnaarde

## **Application - Limitations of use**

Hand (mechanical) protection

Do not use against flames or temperatures &It; -  $25^{\circ}$ C or >  $100^{\circ}$ C

Do not use against chemicals; the glove is not liquidproof Do not use for heavy duty mechanical applications

#### **Storage**

Keep away from sources of ozone or ignition. Keep out of direct sunlight; store in a cool and dry place.

Construction	Liner Coa material	ating material	Finishing	Cuff style	Colour	EN Size	Length mm	Packaging
Cut & sewn	Interloc Nitri k cotton	rile	¾ Dipped	Knitwrist	Blue	7, 8, 8½, 9, 10	270	12 pairs in a bag; 12 bags in a carton

